

Day: Tuesday Date: 3/15/2005 Time: 14:14:03

Inventor Information for 10/718116

| Inventor Name | City | State/Country |
|---------------------------------------|-------------------|---------------------------|
| DEJIMA, NORIHIRO | CHIBA-SHI | JAPAN |
| CHIBA, NORIO | CHIBA-SHI | JAPAN |
| KATO, KENJI | CHIBA-SHI | JAPAN |
| KUBO, TOSHIYA | CHIBA-SHI | JAPAN |
| NAKAYAMA, HIROMITSU | CHIBA-SHI | JAPAN |
| NIWA, TAKASHI | CHIBA-SHI | JAPAN |
| Appin Info Contents Petition Info | Atty/Agent Info C | ontinuity Data Foreign Da |
| Search Another: Application# Search | or Patent# | Search |
| - - , | nood , | ···· |
| PCT / / Search | or PG PUBS# | Search |
| PCT / / Search Attorney Docket # | { | 4 |

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 3/15/2005 Time: 14:14:26

Inventor Name Search Result

Your Search was:

Last Name = DEJIMA First Name = NORIHIRO

| | ** | | | | | |
|---|--------------|----------------|--------|------------|--|------------------|
| Z | Application# | Patent# | Status | Date Filed | Title | Inventor Name |
| | 10278205 | Not Issued | 041 | | OPTICAL FIBER, METHOD OF ROTATION- POSITIONING THE SAME AND METHOD OF WORKING THE SAME | DEЛMA, NORIHIRO |
| | 10294833 | <u>6842558</u> | 150 | | OPTICAL SWITCH AND MANUFACTURING METHOD THEREOF | DEЛMA, NORIHIRO |
| | 10422399 | Not Issued | 041 | 04/24/2003 | OPTICAL SWITCH | DEЛMA, NORIHIRO |
| | 10653641 | Not Issued | 041 | | OPTICAL FIBER WITH LENS AND MANUFACTURING METHOD THEREOF | DEJIMA, NORIHIRO |
| | 10718116 | Not Issued | 080 | | OPTICAL SWITCH AND OPTICAL SWITCH DEVICE | DEJIMA, NORIHIRO |

Inventor Search Completed: No Records to Display.

Search Another: Inventor DEJIMA First Name NORIHIRO Search

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 3/15/2005 Time: 14:14:36

Inventor Name Search Result

Your Search was:

Last Name = CHIBA First Name = NORIO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|---|---------------|
| 06273924 | Not Issued | 161 | 06/15/1981 | PACKAGED PHOTOGRAPHIC PRODUCT | CHIBA, NORIO |
| 06606343 | <u>4551367</u> | 150 | 05/02/1984 | PACKAGED PHOTOGRAPHIC PRODUCT | CHIBA, NORIO |
| 06875220 | Not Issued | 166 | 06/17/1986 | VIBRATION-DAMPING COMPOSITE SHEET STEEL | CHIBA, NORIO |
| <u>07157067</u> | Not Issued | 166 | 02/02/1988 | VIBRATION-DAMPING COMPOSITE SHEET STEEL | CHIBA, NORIO |
| 07604328 | 5093204 | 150 | 10/26/1990 | VIBRATION-DAMPING COMPOSITE SHEET STEEL | CHIBA, NORIO |
| 07712117 | 5173659 | 150 | 06/07/1991 | HIGHLY SENSITIVE MAGNETIC FIELD DETECTING SQUID WITH DUAL DEMODULATION CIRCUIT | CHIBA, NORIO |
| 07840343 | 5306521 | 150 | 02/24/1992 | PROCESS FOR MANUFACTURING DC SUPERCONDUCTING QUANTUM INTERFERENCE DEVICE | CHIBA, NORIO |
| 07914894 | 5329229 | 150 | 07/15/1992 | MAGNETIC FIELD DETECTION COILS WITH SUPERCONDUCTING WIRING PATTERN ON FLEXIBLE FILM | CHIBA, NORIO |
| 07967723 | 5406201 | 150 | 10/28/1992 | MAGNETIC FIELD DETECTING CIRCUIT HAVING A RELAXATION OSCILLATOR SQUID | CHIBA, NORIO |
| 08101192 | Not Issued | 166 | 08/03/1993 | DC SUPERCONDUCTING QUANTUM INTERFERENCE DEVICE | CHIBA, NORIO |
| 08225756 | 6229609 | 150 | 04/11/1994 | SCANNING NEAR-FIELD OPTIC/ATOMIC FORCE MICROSCOPE | CHIBA, NORIO |
| 08306411 | 5596273 | 150 | 09/15/1994 | HIGHLY SENSITIVE MAGNETIC FIELD DETECTOR USING LOW-NOISE DC SQUID | CHIBA, NORIO |
| 08324741 | 5513168 | 150 | 10/18/1994 | AN OPTICAL INFORMATION READ/WRITE APPARATUS | CHIBA, NORIO |
| 08331953 | Not Issued | 161 | 10/31/1994 | SCANNING NEAR-FIELD OPTIC/ATOMIC FORCE MICROSCOPE FOR OBSERVING AND MEASURING TOPOGRAPHICAL AND OPTICAL CHARACTERISTICS OF A SAMPLE | CHIBA, NORIO |
| 08366363 | 5548130 | 150 | 12/29/1994 | DC SUPERCONDUCTING QUANTUM INTERFERENCE DEVICE WITH SHIELD LAYER | CHIBA, NORIO |
| 08408622 | 5627365 | 150 | 03/22/1995 | SCANNING NEAR-FIELD OPTIC/ATOMIC FORCE MICROSCOPE IN WHICH IMAGING LIGHT IS CONTROLLED ON RELATION TO A VIBRATING POSITION OF AN OPTICAL FIBER PROBE | CHIBA, NORIO |
| 08525348 | 5821409 | 150 | 09/07/1995 | SCANNING NEAR-FIELD OPTIC/ATOMIC- FORCE MICROSCOPE WITH OBSERVING FUNCTION IN LIQUID | CHIBA, NORIO |
| 08595097 | <u>5654131</u> | 150 | 02/01/1996 | OPTICAL MEMORY MEDIUM | CHIBA, NORIO |
| 08821532 | 6104030 | 150 | 03/21/1997 | OPTICAL PROBE HAVING TAPERED WAVE | CHIBA, NORIO |

| | | | | GUIDE AND SCANNING NEAR-FIELD OPTICAL MICROSCOPE UTILIZING OPTICAL PROBE | |
|----------|----------------|-----|------------|--|--------------|
| 08821533 | <u>5960147</u> | 150 | 03/21/1997 | PROBE,MANUFACTURING METHOD THEREFOR AND SCANNING PROBE MICROSCOPE | CHIBA, NORIO |
| 09097478 | 6100534 | 150 | 06/15/1998 | MICROSCOPIC AREA SCANNING APPARATUS | CHIBA, NORIO |
| 09310268 | 6280647 | 150 | 05/12/1999 | METHOD FOR SHARPENING A PROBE | CHIBA, NORIO |
| 09367407 | 6370306 | 150 | 11/09/1999 | OPTICAL WAVEGUIDE PROBE AND ITS MANUFACTURING METHOD | CHIBA, NORIO |
| 09378209 | 6430324 | 150 | 08/19/1999 | OPTICAL PROBE AND METHOD FOR MANUFACTURING SAME AND SCANNING PROXIMITY FIELD OPTICAL MICROSCOPE | CHIBA, NORIO |
| 09402382 | 6528780 | 150 | 06/26/2000 | OPTICAL PROBE FOR PROXIMITY FIELD | CHIBA, NORIO |
| 09403406 | 6376827 | 150 | 02/14/2000 | NEAR FIELD OPTICAL MEMORY HEAD | CHIBA, NORIO |
| 09423848 | 6466537 | 150 | 02/20/2001 | RECORDING APPARATUS | CHIBA, NORIO |
| 09423849 | 6625109 | 150 | 04/19/2000 | NEAR-FIELD OPTICAL HEAD AND HEAD SUPPORT ASSEMBLY HAVING NEAR-FIELD OPTICAL HEAD | CHIBA, NORIO |
| 09423850 | 6429419 | 150 | 03/20/2000 | NEAR-FIELD OPTICAL HEAD | CHIBA, NORIO |
| 09426532 | 6479816 | 150 | 10/26/1999 | NEAR-FIELD OPTICAL PROBE | CHIBA, NORIO |
| 09428903 | Not Issued | 161 | 10/28/1999 | METHOD FOR FORMING OPTICAL PROBE | CHIBA, NORIO |
| 09462437 | Not Issued | 041 | 05/16/2000 | NEAR-FIELD OPTICAL HEAD | CHIBA, NORIO |
| 09462438 | 6448543 | 150 | 01/02/2002 | NEAR FIELD OPTICAL HEAD AND REPRODUCTION METHOD INCLUDING A RECORDING MEDIUM TO EMIT LIGHT | CHIBA, NORIO |
| 09486751 | 6580677 | 150 | 06/16/2000 | INFORMATION RECORDING MEDIUM AND INFORMATION REPRODUCING APPARATUS | CHIBA, NORIO |
| 09495275 | 6587426 | 150 | 01/31/2000 | RECORDING MEDIUM HAVING INFORMATION REPRODUCIBLE USING NEAR-FIELD LIGHT | CHIBA, NORIO |
| 09497012 | 6396050 | 150 | 02/02/2000 | SELF-EMITTING OPTICAL PROBE, METHOD FOR PRODUCING THE SAME, AND SCANNING NEAR-FIELD OPTICAL MICROSCOPE | CHIBA, NORIO |
| 09527093 | 6738338 | 150 | 03/16/2000 | NEAR-FIELD OPTICAL HEAD, METHOD OF FABRICATING SAME, AND OPTICAL DRIVE USING SAME | CHIBA, NORIO |
| 09581602 | Not Issued | 041 | 08/18/2000 | DEVICE AND METHOD FOR INFORMATION RECORDING/REPRODUCING USING NEAR- FIELD LIGHT | CHIBA, NORIO |
| 09582903 | Not Issued | 041 | 08/11/2000 | NEAR-FIELD OPTICAL HEAD AND PRODUCTION METHOD THEREOF | CHIBA, NORIO |
| 09601815 | Not Issued | 071 | 09/25/2000 | INFORMATION RECORDING APPARATUS | CHIBA, NORIO |
| 09700323 | 6834537 | 150 | 09/27/2001 | OPTICAL MICROCANTILEVER | CHIBA, NORIO |
| 09762075 | Not Issued | 093 | 03/26/2001 | RECORDING MEDIUM, INFORMATION RECORDING DEVICE, AND INFORMATION REPRODUCING DEVICE | CHIBA, NORIO |

| 09787155 | 6563782 | 150 | | INFORMATION RECORDING MEDIUM HAVING DOUBLE-LAYER STRUCTURE, AND INFORMATION REPRODUCING APPARATUS AND INFORMATION RECORDING AND REPRODUCING APPARATUS UTILIZING INFORMATION RECORDING MEDIUM HAVING DOUBLE-LAYER STRUCTURE | CHIBA, NORIO |
|----------|----------------|-----|------------|--|--------------|
| 09830381 | 6747265 | 150 | | OPTICAL CANTILEVER HAVING LIGHT SHIELDING FILM AND METHOD OF FABRICATING THE SAME | CHIBA, NORIO |
| 10199870 | <u>6754163</u> | 150 | 07/19/2002 | RECORDING APPARATUS | CHIBA, NORIO |
| 10278205 | Not Issued | 041 | | OPTICAL FIBER, METHOD OF ROTATION- POSITIONING THE SAME AND METHOD OF WORKING THE SAME | CHIBA, NORIO |
| 10294833 | 6842558 | 150 | | OPTICAL SWITCH AND MANUFACTURING METHOD THEREOF | CHIBA, NORIO |
| 10339074 | Not Issued | 092 | 01/09/2003 | NEAR-FIELD OPTICAL PROBE | CHIBA, NORIO |
| 10367138 | 6831887 | 150 | | RECORDING MEDIUM HAVING INFORMATION REPRODUCIBLE USING NEAR-FIELD LIGHT | CHIBA, NORIO |
| 10422399 | Not Issued | 041 | 04/24/2003 | OPTICAL SWITCH | CHIBA, NORIO |

Search and Display More Records.

| | Last Name | First Name |
|--------------------------|-----------|------------|
| Search Another: Inventor | CHIBA NO | RIO |

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 3/15/2005 Time: 14:14:49

Inventor Name Search Result

Your Search was:

Last Name = KATO First Name = KENJI

| | Application# Patent# Status Date Filed Title Inventor Name | | | | | |
|-----------------|--|-----|------------|--|---------------|--|
| وسينت | | = | | | Inventor Name | |
| 06092946 | <u>4290377</u> | 150 | 11/09/1979 | A SEWING MACHINE | КАТО, КЕПЛ | |
| 06188599 | Not Issued | 164 | 09/19/1980 | ELECTRONIC CONTROL SEWING MACHINE | КАТО, КЕПЛ | |
| 06223551 | <u>4332740</u> | 150 | 01/09/1981 | PROCESS FOR PREPARING PEROXYESTERS | КАТО, КЕПЛ | |
| 06245671 | 4401042 | 150 | 03/19/1981 | ELECTRONIC CONTROL SEWING MACHINE | КАТО, КЕПЛ | |
| 06313986 | <u>4501210</u> | 150 | 10/22/1981 | ELECTRODE CONTROL SEWING MACHINE | КАТО, КЕПЛ | |
| 06370122 | Not Issued | 161 | 04/20/1982 | COMPUTED NUMERICAL CONTROL OF DRILLING MACHINE | КАТО, КЕПЛ | |
| 06513979 | <u>4502402</u> | 150 | 07/14/1983 | SEWING MACHINE WITH PATTERN EDITING FUNCTION | КАТО, КЕПЛ | |
| 06570524 | <u>4575068</u> | 150 | 01/13/1984 | PAPER FEEDER | КАТО, КЕПЛ | |
| 06573565 | <u>4565143</u> | 150 | 01/25/1984 | METHOD OF AUTOMATICALLY ADJUSTING THREAD TENSION IN A SEWING MACHINE | КАТО, КЕПЛ | |
| 06576533 | <u>4531466</u> | 150 | 02/02/1984 | COMPUTER SEWING MACHINE WITH RESPONSE FUNCTION AS TO THE USAGE THEREOF | КАТО, КЕПЛ | |
| 06636202 | <u>4560495</u> | 150 | 07/31/1984 | DIACYL PEROXIDE COMPOSTION | КАТО, КЕПЛ | |
| 06644126 | <u>4577576</u> | 150 | 08/23/1984 | STITCHING ADJUSTMENT DEVICE OF A SEWING MACHINE | КАТО, КЕПЛ | |
| <u>06681681</u> | Not Issued | 166 | 12/14/1984 | METHOD AND DEVICE FOR CONTROL OF INTERNAL COMBUSTION ENGINE VARIABLE SWIRL AIR-FUEL INTAKE SYSTEM WITH DIRECT AND HELICAL INTAKE PASSAGES | КАТО, КЕПЛ | |
| 06682266 | 4624607 | 150 | 12/17/1984 | COMPUTED NUMERICAL CONTROL DRILLING MACHINE | КАТО, КЕЛЛ | |
| 06696172 | 4682577 | 150 | | METHOD AND APPARATUS FOR REDUCING NOX IN INTERNAL COMBUSTION ENGINE | КАТО, КЕПЛ | |
| 06753671 | <u>4672903</u> | 150 | | PATTERN INPUT DEVICE OF A SEWING MACHINE | КАТО, КЕПЛ | |
| 06753678 | <u>4648341</u> | 150 | 07/10/1985 | COMPUTERIZED SEWING MACHINE | КАТО, КЕПЛ | |
| 06756116 | 4660488 | 150 | 07/18/1985 | COMPUTER SEWING MACHINE | КАТО, КЕПЛ | |
| 06765875 | 4696245 | 150 | | METHOD OF AUTOMATIC BUTTONHOLE STITCHING WITH A COMPUTERIZED SEWING MACHINE | КАТО, КЕПЛ | |
| 06784049 | <u>4658001</u> | 150 | 10/04/1985 | PEROXYCARBONATE GROUP-CONTAINING COPOLYMER AND METHOD FOR | КАТО, КЕПЛ | |

| | | 1 | I I 1 | MANUFACTURE THEREOF | ı |
|-----------------|----------------|-----|--------------|---|-------------|
| 06786315 | 4755071 | 150 | 10/10/1985 | FRONT AND REAR PRINTER DEVICE WITH INK IMPREGNATED PLATEN | КАТО, КЕПЛ |
| 06835560 | 4633794 | 150 | 03/03/1986 | DEVICE FOR DETECTING FABRIC THICKNESS OF A SEWING MACHINE | КАТО, КЕПЛ |
| 06842887 | D297899 | 150 | 03/12/1986 | SPOON | KATO, KENJI |
| <u>06847396</u> | Not Issued | 161 | 04/02/1986 | AUTOMATIC THREAD TENSION REGULATING DEVICE FOR A SEWING MACHINE | КАТО, КЕПЛ |
| 06855187 | <u>4688503</u> | 150 | 04/22/1986 | PATTERN SELECTING DEVICE FOR A SEWING MACHINE | КАТО, КЕПЛ |
| <u>06865655</u> | 4694794 | 150 | 05/16/1986 | METHOD AND DEVICE FOR CONTROL OF INTERNAL COMBUSTION ENGINE VARIABLE SWIRL AIR FUEL INTAKE SYSTEM WITH DIRECT HELICAL INTAKE PASSAGE | КАТО, КЕПЛ |
| 06930395 | <u>4778913</u> | 150 | 11/14/1986 | PEROXYDICARBONATE CONTAINING NON- CONJUGATE TYPE UNSATURATED BOND | КАТО, КЕПЛ |
| 07015273 | 4768450 | 150 | 02/17/1987 | AN INITIAL OPERATION CONTROLLING SYSTEM FOR A COMPUTER CONTROLLED EMBROIDERING MACHINE | КАТО, КЕПЛ |
| 07015274 | Not Issued | 161 | 02/17/1987 | DATA CONTROLLING SYSTEM FOR A COMPUTER EMBROIDERING MACHINE | КАТО, КЕПЛ |
| <u>07155319</u> | Not Issued | 166 | 02/12/1988 | COMPUTER OPERATED NAME EMBROIDERING MACHINE | КАТО, КЕПЛ |
| 07155320 | 4858542 | 150 | 02/12/1988 | INITIAL OPERATION CONTROLLING SYSTEM FOR A COMPUTER CONTROLLED EMBROI- DERING MACHINE | КАТО, КЕЛЛ |
| 07155512 | Not Issued | 166 | 02/12/1988 | POLYESTER FILMS, MAGNETIC RECORDING MEDIA AND FILM CAPACITORS PRODUCED THEREFROM | КАТО, КЕПЛ |
| 07287644 | Not Issued | 161 | 12/20/1988 | COMPUTER OPERATED NAME EMBROIDERING MACHINE | КАТО, КЕПЛ |
| <u>07340915</u> | Not Issued | 161 | 04/20/1989 | UNSATURATED POLYESTER RESIN COMPOSITION | КАТО, КЕПЛ |
| 07420740 | 4990400 | 150 | 10/12/1989 | POLYESTER FILMS, MAGNETIC RECORDING MEDIA AND FILM CAPACITORS PRODUCED THEREFROM | КАТО, КЕПЛІ |
| 07439413 | Not Issued | 166 | 11/20/1989 | MALEIMIDE COPOLYMER, MALEIMIDE BLOCK COPOLYMER AND METHOD FOR PRODUCING MALEIMIDE BLOCK COPOLYMER | КАТО, КЕПЛ |
| 07441887 | Not Issued | 166 | 11/27/1989 | RESIN FOR PLASTIC LENS | КАТО, КЕПЛ |
| <u>07446266</u> | 5023339 | 250 | 12/05/1989 | STABILIZED MALEIMIDE COMPOSITION AND PROCESS FOR PREPARING SAME | КАТО, КЕПЛ |
| 07456352 | 5140083 | 150 | 12/26/1989 | MALEIMIDE COPOLYMER AND PROCESS FOR PREPARING SAME | КАТО, КЕПЛ |
| 07457287 | Not Issued | 166 | 12/27/1989 | N-SUBSTITUTED MALEIMIDE POLYMER COMPOSITION | КАТО, КЕПЛ |
| 07510238 | Not Issued | 166 | 04/18/1990 | NUMERICAL CONTROL APPARATUS HAVING A TEACHING FUNCTION AND A METHOD OF TEACHING A MACHINING PROGRAM | КАТО, КЕПЛ |
| <u>07553446</u> | 5020461 | 150 | 07/13/1990 | LOWER THREAD AMOUNT DISPLAY DEVICE OF SEWING MACHINE | КАТО, КЕПЛ |
| 07558742 | 5005500 | 150 | 07/27/1000 | AUTOMATIC EMBROIDERING MACHINE WITH | VATO VENII |

| 07604774 | <u>5216047</u> | 150 | | UNSATURATED POLYESTER RESIN COMPOSITION | КАТО, КЕПЛ |
|-----------------|----------------|-----|------------|---|------------|
| 07674559 | <u>5125452</u> | 150 | 03/22/1991 | ALUMINUM ALLOY CLAD MATERIAL | КАТО, КЕПЛ |
| <u>07713630</u> | <u>5179162</u> | 150 | 06/10/1991 | N-SUBSTITUTED MALEIMIDE POLYMER COMPOSITION | КАТО, КЕЛЛ |
| <u>07726115</u> | Not Issued | 161 | 06/24/1991 | RESIN FOR PLASTIC LENS | КАТО, КЕПЛ |
| 07779193 | 5291393 | 150 | | NC MACHINE TOOL APPARATUS HAVING MEANS FOR PRODUCING NC WORK PROGRAM AND METHOD THEREOF | КАТО, КЕПЛ |
| <u>07800556</u> | 5148862 | 150 | | HEAT EXCHANGER FIN MATERIALS AND HEAT EXCHANGERS PREPARED THEREFROM | КАТО, КЕПЛ |
| 07830413 | Not Issued | 166 | | BIAXIALLY ORIENTED POLYESTER FILM FOR CAPACITOR DIELECTRIC | КАТО, КЕПЛ |

Search and Display More Records.

| | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Search Another: Inventor | KATO | KENJI | Search |

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 3/15/2005 Time: 14:15:11

Inventor Name Search Result

Your Search was:

Last Name = KUBO First Name = TOSHIYA

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|---|-------------------|
| 08317072 | <u>5463709</u> | 150 | | END-FACE POLISHED FERRULE AND ITS METHOD OF MANUFACTURE | KUBO, TOSHIYA |
| 08352258 | <u>5559916</u> | 150 | | METHOD FOR MANUFACTURING OPTICAL FIBER ASSEMBLY WITH POLISHED END- FACE, AN END FACE POLISHING APPARATUS, AND A METHOD FOR EXAMINING THE END POINT OF END-FACE POLISHING PROCESS OF OPTICAL FIBER | KUBO, TOSHIYA |
| 10653641 | Not Issued | 041 | | OPTICAL FIBER WITH LENS AND MANUFACTURING METHOD THEREOF | KUBO, TOSHIYA |
| <u>10718116</u> | Not Issued | 080 | 11/20/2003 | OPTICAL SWITCH AND OPTICAL SWITCH DEVICE | KUBO, TOSHIYA |
| 07016945 | Not Issued | 161 | 02/20/1987 | DETECTOR OF CHARGED PARTICLES | KUBODERA, TOSHIYA |

Inventor Search Completed: No Records to Display.

| | Last Name | First Name |
|--------------------------|-----------|---------------|
| Search Another: Inventor | KUBO T | OSHIYA Search |

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 3/15/2005 Time: 14:15:19

Inventor Name Search Result

Your Search was:

Last Name = NAKAYAMA First Name = HIROMITSU

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|---|---------------------|
| 07869653 | <u>5263240</u> | 150 | | METHOD OF MANUFACTURING PRINTED WIRING BOARDS FOR MOTORS | NAKAYAMA, HIROMITSU |
| <u>10196246</u> | Not Issued | 030 | | IMAGE PROCESSING APPARATUS AND METHOD | NAKAYAMA, HIROMITSU |
| 10509385 | Not Issued | 019 | 01/01/0001 | THERMOCROSSLINKABLE RESIN DISPERSION | NAKAYAMA, HIROMITSU |
| 10653641 | Not Issued | 041 | | OPTICAL FIBER WITH LENS AND MANUFACTURING METHOD THEREOF | NAKAYAMA, HIROMITSU |
| <u>10718116</u> | Not Issued | 080 | | OPTICAL SWITCH AND OPTICAL SWITCH DEVICE | NAKAYAMA, HIROMITSU |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name
First Name
NAKAYAMA
HIROMITSU
Search

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 3/15/2005 Time: 14:15:28

Inventor Name Search Result

Your Search was:

Last Name = NIWA First Name = TAKASHI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|---|---------------|
| 06217405 | <u>4383158</u> | 150 | 12/17/1980 | COOKING OVEN WITH MULTI-FUNCTIONAL GAS SENSOR | NIWA, TAKASHI |
| 06373504 | Not Issued | 161 | 04/13/1982 | APPARATUS FOR DISPLAYING HEATING CONDITION OF HEATING COOKER USING MULTICOLORED FLUORESCENT DISPLAY TUBE | NIWA, TAKASHI |
| 06420220 | 4501147 | 150 | 09/10/1982 | CONTROL CIRCUIT FOR A HUMIDITY SENSOR | NIWA, TAKASHI |
| 06714667 | Not Issued | 166 | 03/22/1985 | SWITCH | NIWA, TAKASHI |
| 06803581 | Not Issued | 166 | 12/02/1985 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| <u>06803961</u> | Not Issued | 166 | 12/03/1985 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 06816619 | Not Issued | 166 | 01/06/1986 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 06831424 | 4701582 | 150 | 02/20/1986 | PLUNGER SENSING SWITCH | NIWA, TAKASHI |
| 07047599 | Not Issued | 166 | 05/11/1987 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07056883 | Not Issued | 166 | 07/23/1987 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07057434 | 4851623 | 150 | 06/02/1987 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07067391 | 4816630 | 150 | 06/26/1987 | PUSH-BUTTON SWITCH WITH PLUNGER AND SWITCH MECHANISM | NIWA, TAKASHI |
| 07082950 | Not Issued | 166 | 08/05/1987 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| <u>07131717</u> | 4812960 | 150 | 12/11/1987 | POWER FEEDING APPARATUS | NIWA, TAKASHI |
| <u>07147946</u> | Not Issued | 166 | 01/25/1988 | HIGH FREQUENCY HEATING APPARATUS USING INVERTER-TYPE POWER SUPPLY | NIWA, TAKASHI |
| 07166089 | 4883929 | 150 | 03/09/1988 | BARRIER ASSEMBLY FOR MOUNTING CONTROLLING DEVICES | NIWA, TAKASHI |
| <u>07169907</u> | Not Issued | 166 | 03/18/1988 | ILLUMINATED PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| <u>07177355</u> | Not Issued | 166 | 04/01/1988 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| <u>07189166</u> | 4900989 | 150 | 05/02/1988 | MAGNETRON FEEDING APPARATUS AND METHOD OF CONTROLLING THE SAME | NIWA, TAKASHI |
| 07189170 | 4886951 | 150 | 05/02/1988 | A POWER SUPPLY FOR A MAGNETRON HAVING A RECTIFYING CIRCUIT, SWITCHING CIRCUIT, AND TRANSFORMER. | NIWA, TAKASHI |
| 07223949 | 4967051 | 150 | 07/25/1988 | HIGH-FREQUENCY HEATING APPARATUS | NIWA, TAKASHI |

| | | | | HAVING START CONTROL DEVICE FOR MAGNETRON POWER SUPPLY CIRCUIT | |
|----------|---------------|-----|------------|---|---------------|
| 07240409 | 4910368 | 150 | 08/31/1988 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07245278 | 4873402 | 150 | 09/16/1988 | PUSH-BUTTON SWITCH WITH PLUNGER AND SWITCHING MECHANISM | NIWA, TAKASHI |
| 07249648 | 4904832 | 150 | 09/27/1988 | MICROSWITCH | NIWA, TAKASHI |
| 07249651 | Not Issued | 166 | 09/27/1988 | MICROSWITCH | NIWA, TAKASHI |
| 07277482 | 4933523 | 150 | 11/29/1988 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07293587 | 4908485 | 150 | 01/04/1989 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07353685 | 4968860 | 150 | 05/18/1989 | LIGHT EMITTING TYPE PUSH BUTTON SWITCH | NIWA, TAKASHI |
| 07375887 | 4990730 | 150 | 07/06/1989 | ILLUMINATED PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07500254 | 4999762 | 150 | 03/27/1990 | HIGH VOLTAGE POWER SOURCE DEVICE | NIWA, TAKASHI |
| 07517559 | 5017747 | 150 | 04/27/1990 | MICROSWITCH | NIWA, TAKASHI |
| 07526521 | 5091617 | 150 | 05/22/1990 | HIGH FREQUENCY HEATING APPARATUS USING USING INVERTER-TYPE POWER SUPPY | NIWA, TAKASHI |
| 07532124 | Not Issued | 166 | 06/04/1990 | PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07561572 | 5104838 | 150 | 08/02/1990 | PRODUCTION OF ALPHA-OLEFIN POLYMERS | NIWA, TAKASHI |
| 07565331 | Not Issued | 166 | 08/10/1990 | LIGHT EMITTING TYPE PUSH BUTTON SWITCH | NIWA, TAKASHI |
| 07610750 | 5072085 | 150 | 11/08/1990 | ILLUMINATED PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07704848 | 5122626 | 150 | 05/20/1991 | ILLUMINATED DISPLAY PUSH-BUTTON SWITCH | NIWA, TAKASHI |
| 07767049 | Not Issued | 166 | 09/27/1991 | CONTACT LENS CLEANING DEVICE | NIWA, TAKASHI |
| 07804535 | 5165530 | 250 | | LIGHT EMITTING TYPE PUSH BUTTON SWITCH | NIWA, TAKASHI |
| 08011628 | 5488207 | 150 | 02/01/1993 | KEY SWITCH WITH A LOCKING ARRANGEMENT ON A ROTATING ELEMENT | NIWA, TAKASHI |
| 08033433 | Not Issued | 161 | 03/18/1993 | CONTACT LENS CLEANING DEVICE | NIWA, TAKASHI |
| 08035331 | Not Issued | 166 | 03/19/1993 | ELECTRIC CIRCUIT SUBSTRATE APPARATUS | NIWA, TAKASHI |
| 08038866 | 5364283 | 250 | 03/29/1993 | CONNECTING DEVICE | NIWA, TAKASHI |
| 08437047 | 5489808 | 150 | 05/09/1995 | ELECTRIC CIRCUIT SUBSTRATE APPARATUS | NIWA, TAKASHI |
| 09043821 | 6165336 | 150 | 03/27/1998 | GAS SENSOR AND MANUFACTURING PROCESS THEREOF | NIWA, TAKASHI |
| 09051532 | Not Issued | 161 | 04/10/1998 | | NIWA, TAKASHI |
| 09363550 | 6307167 | 150 | 07/29/1999 | KEY SWITCH | NIWA, TAKASHI |

| 09367407 | 6370306 | 150 | | OPTICAL WAVEGUIDE PROBE AND ITS MANUFACTURING METHOD | NIWA, TAKASHI |
|----------|---------|-----|------------|---|---------------|
| 09402382 | 6528780 | 150 | 06/26/2000 | OPTICAL PROBE FOR PROXIMITY FIELD | NIWA, TAKASHI |
| 09403406 | 6376827 | 150 | 02/14/2000 | NEAR FIELD OPTICAL MEMORY HEAD | NIWA, TAKASHI |

Search and Display More Records.

| | Last Name | First Name |
|--------------------------|-----------|----------------|
| Search Another: Inventor | NIWA | FAKASHI Search |

To go back use Back button on your browser toolbar.

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|--|---|---------------------|---------|------------------|
| L1 | 12825 | ((optic\$4 near3 switch\$4) same (optic\$4 near3 (fibre\$1 fiber\$1))) and @ad<"20021202" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/15 13:45 |
| L2 | 76090 | (path\$1 beam\$1 distance\$1) near7 (equal same equivalent similar) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/15 13:47 |
| L3 | 706 | I1 and i2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/15 13:47 |
| L5 | 209 | l3 and (385/16-23.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/15 13:48 |
| S1 | 1532 | 385/16.ccls. or 385/18.ccls. or 385/20.ccls. | USPAT | OR | OFF | 2004/08/09 12:11 |
| S2 | 1119 | (385/16.ccls. or 385/18.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120" | USPAT | OR | OFF | 2004/07/19 09:34 |
| S3 | 1117 | ((385/16.ccls. or 385/18.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120") and ("add" or "drop" or "in" or "out") | USPAT | OR | OFF | 2004/07/19 09:35 |
| S4 | 147 | ((385/16.ccls. or 385/18.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120") and "add" and "drop" and "in" and "out" | USPAT | OR | OFF | 2004/07/27 13:29 |
| S5 | 1362 | (385/16.ccls. or 385/20.ccls.) and @ad<"20031120" and (optical with switch) and fiber | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 13:28 |
| S6 | 373 | ((385/16.ccls. or 385/20.ccls.) and @ad<"20031120" and (optical with switch) and fiber) and ((mirror or reflect\$3) with (mov\$4 or fix\$4)) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 13:29 |

| S7 | 215 | (((385/16.ccls. or 385/20.ccls.) and @ad<"20031120" and (optical with switch) and fiber) and ((mirror or reflect\$3) with (mov\$4 or fix\$4))) not (((385/16.ccls. or 385/18.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120") and "add" and "drop" and "in" and "out") | USPAT | OR | OFF | 2004/07/27 14:08 |
|------|--------|--|---------------------------------|----|-----|------------------|
| S8 | 306 | (((385/16.ccls. or 385/20.ccls.) and @ad<"20031120" and (optical with switch) and fiber) and ((mirror or reflect\$3) with (mov\$4 or fix\$4))) not (((385/16.ccls. or 385/18.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120") and "add" and "drop" and "in" and "out") | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 14:08 |
| S9 . | 91 | (((((385/16.ccls. or 385/20.ccls.) and @ad<"20031120" and (optical with switch) and fiber) and ((mirror or reflect\$3) with (mov\$4 or fix\$4))) not (((385/16.ccls. or 385/18.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120") and "add" and "drop" and "in" and "out")) not ((((385/16.ccls. or 385/20.ccls.) and @ad<"20031120" and (optical with switch) and fiber) and ((mirror or reflect\$3) with (mov\$4 or fix\$4))) not (((385/16.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120") and "add" and "drop" and "in" and "out")) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/30 14:29 |
| S10 | 206144 | Dejima.in. Chiba.in. Kato.in. Kubo. in. Nakayama.in. Niwa.in. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:39 |
| S11 | 2874 | Dejima-Norihiro.in. Chiba-Norio.in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:41 |
| S12 | 0 | (Dejima-Norihiro.in. Chiba-Norio. in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and "optical with switch" | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:41 |

| S13 | 22 | (Dejima-Norihiro.in. Chiba-Norio. in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2 and switch) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:48 |
|-----|-----|--|---------------------------------|----|-----|------------------|
| S14 | 351 | (Dejima-Norihiro.in. Chiba-Norio. in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:48 |
| S15 | 329 | ((Dejima-Norihiro.in. Chiba-Norio. in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2)) not ((Dejima-Norihiro.in. Chiba-Norio.in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2 and switch)) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:49 |
| S16 | 103 | ((Dejima-Norihiro.in. Chiba-Norio. in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2)) and fiber\$1 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:49 |
| S17 | 0 | ((((Dejima-Norihiro.in. Chiba-Norio.in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2)) not ((Dejima-Norihiro.in. Chiba-Norio.in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2 and switch))) and fiber\$1) and (switch) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:50 |
| S18 | 51 | ((((Dejima-Norihiro.in. Chiba-Norio.in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2)) not ((Dejima-Norihiro.in. Chiba-Norio.in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2 and switch))) and fiber\$1) and device | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:50 |

| S19 | 86 | (((Dejima-Norihiro.in. Chiba-Norio. in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. Niwa-Takashi.in.) and (optic\$2)) not ((Dejima-Norihiro.in. Chiba-Norio.in. Kato-Kenji.in. Kubo-Toshiya.in. Nakayama-Hiromitsu.in. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/07/27 15:50 |
|-----|------|--|---------------------------------|----|-----|------------------|
| - | | Niwa-Takashi.in.) and (optic\$2 and switch))) and fiber\$1 | | | | |
| S20 | 3 | 385/18.ccls. and (drop with add with in with out) | USPAT | OR | OFF | 2004/07/28 11:03 |
| S21 | 0 | "359"/\$.ccls. and "switch\$2" | USPAT | OR | OFF | 2004/07/29 09:32 |
| S22 | 9307 | "359"/\$.ccls. and switch\$2 | USPAT | OR | OFF | 2004/07/29 09:33 |
| S23 | 3465 | ("359"/\$.ccls. and switch\$2) and (optic\$4 with switch\$2) | USPAT | OR | OFF | 2004/07/29 09:34 |
| S24 | 478 | (("359"/\$.ccls. and switch\$2) and (optic\$4 with switch\$2)) and drop | USPAT | OR | OFF | 2004/07/29 09:34 |
| S25 | 265 | ((("359"/\$.ccls. and switch\$2) and (optic\$4 with switch\$2)) and drop) and add | USPAT | OR | OFF | 2004/07/29 09:34 |
| S26 | 265 | (((("359"/\$.ccls. and switch\$2) and (optic\$4 with switch\$2)) and drop) and add) and in | USPAT | OR | OFF | 2004/07/29 09:34 |
| S27 | 214 | ((((("359"/\$.ccls. and switch\$2) and (optic\$4 with switch\$2)) and drop) and add) and in) and out | USPAT | OR | OFF | 2004/07/29 09:35 |
| S28 | 1075 | (385/17 or 385/36) and (optic\$4 with switch\$2) and (@ad<"20031120") | USPAT | OR | OFF | 2004/07/29 16:18 |
| S29 | 383 | ((385/17 or 385/36) and (optic\$4 with switch\$2) and (@ad<"20031120")) and (fix\$4 and mov\$4) | USPAT | OR | OFF | 2004/07/29 16:25 |
| S30 | 383 | (((385/17 or 385/36) and (optic\$4 with switch\$2) and (@ad<"20031120")) and (fix\$4 and mov\$4)) and (drop add in out) | USPAT | OR | OFF | 2004/07/29 16:25 |
| S31 | . 87 | ((((385/17 or 385/36) and (optic\$4 with switch\$2) and (@ad<"20031120")) and (fix\$4 and mov\$4)) and (drop add in out)) and (drop and add and in and out) | USPAT | OR | OFF | 2004/11/30 14:28 |

| S32 | 71 | (((((385/17 or 385/36) and (optic\$4 with switch\$2) and (@ad<"20031120")) and (fix\$4 and mov\$4)) and (drop add in out)) and (drop and add and in and out)) and (add with drop) | USPAT | OR | OFF | 2004/07/29 16:26 |
|-----|------|---|---|----|-----|------------------|
| S33 | 1 | ("5778118").PN. | USPAT; USOCR | OR | OFF | 2004/08/09 09:49 |
| S34 | 1 | ("5960133").PN. | USPAT; USOCR | OR | OFF | 2004/08/09 09:49 |
| S35 | 0 | ("(optic\$2withswitch\$2)and((mirro r\$1orreflect\$3)with(sizeordiameter \$1orradi\$2))").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2004/08/09 12:13 |
| S36 | 2546 | (optic\$2 with switch\$2) and ((mirror\$1 or reflect\$3) with (size or diameter\$1 or radi\$2)) | USPAT | OR | OFF | 2004/08/09 12:16 |
| S37 | 276 | "L3".ab. | USPAT | OR | OFF | 2004/08/09 12:17 |
| S38 | 13 | ((optic\$2 with switch\$2) and ((mirror\$1 or reflect\$3) with (size or diameter\$1 or radi\$2))).ab. | USPAT | OR | OFF | 2004/08/09 12:18 |
| 541 | 4 | "718116".ap. | US-PGPUB; USPAT | OR | OFF | 2004/11/30 11:00 |
| S43 | 115 | ((((385/17 or 385/36) and (optic\$4 with switch\$2) and (@ad<"20031120")) and (fix\$4 and mov\$4)) and (drop add in out)) and (drop and add and in and out) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2004/11/30 14:29 |
| S45 | 335 | ((((385/16.ccls. or 385/20.ccls.) and @ad<"20031120" and (optical with switch) and fiber) and ((mirror or reflect\$3) with (mov\$4 or fix\$4))) not (((385/16.ccls. or 385/18.ccls. or 385/20.ccls.) and ((optical near switch) or (optical with switch)) and @pd<"20031120") and "add" and "drop" and "in" and "out")) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2004/11/30 14:30 |